

www.merillife.com

Corporate Headquarters, Vapi

Meril Healthcare Pvt. Ltd.
H1-H3, Meril Park
Survey No. 135/2/B & 174/2
Muktanand Marg, Chala
Vapi 396 191. Gujarat. India.
T: +91 260 3052 100
F: +91 260 3052 125
E: orthopedics@merillife.com

International Sales & Marketing

Meril Healthcare Pvt. Ltd.
612, B-Wing, Bonanaza
Sahar Plaza, Andheri East
Mumbai 400 059
Maharashtra. India.
T: +91 22 3935 0700
F: +91 22 4047 9717

India Sales & Marketing

Meril Healthcare Pvt. Ltd.
512, Midas, Sahar Plaza, J.B. Nagar
Andheri East, Mumbai 400 059
Maharashtra. India.
T: +91 22 4047 9797

Meril South America

DOC MED LTDA
1079 – Cep: 04077-003 - Moema
Sao Paulo, Brazil
T/F: +55 11 3624 5935/6

Meril GmbH


Bornheimer Strasse 135 – 137
D – 53119 Bonn, Germany
T/F: +49 228 7100 4000/1

Meril Tibbi Cihazlar

Imalat Ve Ticaret A.S.
6, Mimar Sinan Mah.,
Cavusbasi Cad, Ozde Sok
Aydin Eksi Is Merkezi Kat:1
Cekmekoy/Istanbul, Turkey
T: +90 53 2272 5172

Meril

Healthcare



KET™ Catalogue

SS Nail | Screw | Instrument

Cardiovascular

Orthopedics

Diagnostics

Endo-Surgery

ENT

Meril

More to Life

More to Life

Meril is a global medical device company dedicated to the design and development of novel, clinically relevant, state-of-the-art and best-in-class devices to alleviate human suffering and improve the quality of life. We span a broad operational canvas ranging from vascular interventional devices to orthopedics, in-vitro diagnostics and endo-surgery.

We share an enduring perseverance to advance healthcare solutions, for more patients to live longer and healthier lives. We have a strong commitment towards R&D and adhere to the best quality standards in manufacturing, scientific communication and distribution known today.

Established in 2006, Meril's launch was in line with the healthcare diversification plan of Bilakhia Group. Located in Vapi, 150km north of Mumbai, and ensconced within the serene hill-sides of Chala town, Meril sits proud in its ultra modern manufacturing facilities.

Where research becomes the basis for discovering new ways of alleviating human suffering and empowering an individual with good health

ri Research
Empowering
Individual



Infrastructure

Situated on 180 acres of land and built over a 300,000 sq.ft. area, Meril's ISO 13485 & cGMP certified ultra-modern manufacturing facility is constructed to satisfy the stringent needs of our cardiovascular, orthopedics, diagnostics and endo-surgery businesses, as well as our R&D endeavors.

Fully integrated manufacturing systems ensure backward integration, flawless man-material movement and complete control over processes to eliminate production errors. All manufacturing and sterilization processes are conducted in-house, in addition to the analytical and microbiological QA/QC tests required to meet the world-class production standards.



Meril's 3,200+ personnel are a strong, experienced team comprising designers, engineers, chemists, microbiologists, regulatory affair experts, R&D scientists, clinical affairs experts, legal, finance, sales and marketing professionals with innovative capabilities. The team is continuously striving towards improving and saving lives every day by providing revolutionary solutions for diagnosis, prevention and treatment.



Global Market Presence

Currently Meril has direct sales & representatives offices in India, Germany, Turkey, USA, China and Brazil and strong distribution model spread over 102 countries across continents.



Meril Orthopedic

Meril is known for an uncompromising attitude when it comes to quality of design. Providing the medical world with zero defect devices is our only motto. Our orthopaedic trauma products Meril Locking Plate System 3.5, Meril Locking Plate System 4.5, Meril Compression Plate System 3.5, Meril Compression Plate System 4.5, Meril Dynamic Hip Fixation System, and Meril Locking Distal Radial System 2.4 are specifically designed to treat fractures, bone tumour and deformities. They boast of high fatigue strength, proper fixation and negligible soft tissue damage.

We have been providing trauma implants for the foot, shoulder, hip, hand, pelvis, and condyles. In order to ensure smooth and trouble-free operating procedures leading medical professionals rely only on our Trauma products. We have carried out performance testing to prove our design for its endurance and durability and the outcome of these tests prove that they are going to create a dynamic image in the history of joint replacement.



Index	
• KET™ SS Cannulated Femur Nailing System	1
• KET™ SS Cannulated Tibial Nail	11
• KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated	21
• KET™ SS Trochanteric Femoral and Proximal Fixation Femoral Nail	31
• KET™ SS Humeral Nail System-Unreamed	45

KET™ SS Cannulated Femur Nailing System

SS Cannulated Femur Nail system, Left & Right (SCFN)

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1809340L	Ø 9.0	340
MT-NS1810340L	Ø 10.0	340
MT-NS1811340L	Ø 11.0	340
MT-NS1812340L	Ø 12.0	340
MT-NS1809360L	Ø 9.0	360
MT-NS1810360L	Ø 10.0	360
MT-NS1811360L	Ø 11.0	360
MT-NS1812360L	Ø 12.0	360
MT-NS1809380L	Ø 9.0	380
MT-NS1810380L	Ø 10.0	380
MT-NS1811380L	Ø 11.0	380
MT-NS1812380L	Ø 12.0	380
MT-NS1809400L	Ø 9.0	400
MT-NS1810400L	Ø 10.0	400
MT-NS1811400L	Ø 11.0	400
MT-NS1812400L	Ø 12.0	400
MT-NS1809420L	Ø 9.0	420
MT-NS1810420L	Ø 10.0	420
MT-NS1811420L	Ø 11.0	420
MT-NS1812420L	Ø 12.0	420
MT-NS1809440L	Ø 9.0	440
MT-NS1810440L	Ø 10.0	440
MT-NS1811440L	Ø 11.0	440
MT-NS1812440L	Ø 12.0	440
MT-NS1809460L	Ø 9.0	460
MT-NS1810460L	Ø 10.0	460
MT-NS1811460L	Ø 11.0	460
MT-NS1812460L	Ø 12.0	460
MT-NS1809340R	Ø 9.0	340
MT-NS1810340R	Ø 10.0	340
MT-NS1811340R	Ø 11.0	340
MT-NS1812340R	Ø 12.0	340
MT-NS1809360R	Ø 9.0	360
MT-NS1810360R	Ø 10.0	360
MT-NS1811360R	Ø 11.0	360
MT-NS1812360R	Ø 12.0	360
MT-NS1809380R	Ø 9.0	380
MT-NS1810380R	Ø 10.0	380
MT-NS1811380R	Ø 11.0	380
MT-NS1812380R	Ø 12.0	380



KET™ SS Cannulated Femur Nailing System

SS Cannulated Femur Nail system, Left & Right (SCFN)

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1809400R	Ø 9.0	400
MT-NS1810400R	Ø 10.0	400
MT-NS1811400R	Ø 11.0	400
MT-NS1812400R	Ø 12.0	400
MT-NS1809420R	Ø 9.0	420
MT-NS1810420R	Ø 10.0	420
MT-NS1811420R	Ø 11.0	420
MT-NS1812420R	Ø 12.0	420
MT-NS1809440R	Ø 9.0	440
MT-NS1810440R	Ø 10.0	440
MT-NS1811440R	Ø 11.0	440
MT-NS1812440R	Ø 12.0	440
MT-NS1809460R	Ø 9.0	460
MT-NS1810460R	Ø 10.0	460
MT-NS1811460R	Ø 11.0	460
MT-NS1812460R	Ø 12.0	460



KET™ SS Cannulated Femur Nailing System

4.9mm Locking Bolt, Self Tapping

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS2649022	Ø 4.9	22
MT-SS2649024	Ø 4.9	24
MT-SS2649026	Ø 4.9	26
MT-SS2649028	Ø 4.9	28
MT-SS2649030	Ø 4.9	30
MT-SS2649032	Ø 4.9	32
MT-SS2649034	Ø 4.9	34
MT-SS2649036	Ø 4.9	36
MT-SS2649038	Ø 4.9	38
MT-SS2649040	Ø 4.9	40
MT-SS2649042	Ø 4.9	42
MT-SS2649044	Ø 4.9	44
MT-SS2649046	Ø 4.9	46
MT-SS2649048	Ø 4.9	48
MT-SS2649050	Ø 4.9	50
MT-SS2649052	Ø 4.9	52
MT-SS2649054	Ø 4.9	54
MT-SS2649056	Ø 4.9	56
MT-SS2649058	Ø 4.9	58
MT-SS2649060	Ø 4.9	60
MT-SS2649062	Ø 4.9	62
MT-SS2649064	Ø 4.9	64
MT-SS2649066	Ø 4.9	66
MT-SS2649068	Ø 4.9	68
MT-SS2649070	Ø 4.9	70
MT-SS2649072	Ø 4.9	72
MT-SS2649074	Ø 4.9	74
MT-SS2649076	Ø 4.9	76
MT-SS2649078	Ø 4.9	78
MT-SS2649080	Ø 4.9	80



KET™ SS Cannulated Femur Nailing System

6.4mm Cannulated Bolt Self Tapping

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS8064050	Ø 6.4	50
MT-SS8064055	Ø 6.4	55
MT-SS8064060	Ø 6.4	60
MT-SS8064065	Ø 6.4	65
MT-SS8064070	Ø 6.4	70
MT-SS8064075	Ø 6.4	75
MT-SS8064080	Ø 6.4	80
MT-SS8064085	Ø 6.4	85
MT-SS8064090	Ø 6.4	90
MT-SS8064095	Ø 6.4	95
MT-SS8064100	Ø 6.4	100
MT-SS8064105	Ø 6.4	105
MT-SS8064110	Ø 6.4	110
MT-SS8064115	Ø 6.4	115



KET™ SS Cannulated Femur Nailing System Instrument Set



KET™ SS Cannulated Femur Nailing System Instrument Set

Part No:MT-INSCFN001

Description

Guide Bar For SCFN



Part No:MT-INSCFN002

Description

SCFN Femur Jig



Part No:MT-INSCFN003

Description

SCFN Conical Bolt



Part No:MT-INTPFN005

Description

SPFN Attachment Bolt



Part No:MT-INTPFN007

Description

Protection Guide Sleeve 8mm



KET™ SS Cannulated Femur Nailing System Instrument Set

Part No:MT-INTPFN008

Description

Drill Sleeve 4mm Long



Part No:MT-INTPFN009

Description

SPFN Guide Wire Sleeve 2mm



Part No:MT-INTPFN011

Description

SPFN Trocar Sleeve 4mm



Part No:MT-INSFTN011

Description

Curved Bone Awl



Part No:MT-INTPFN015

Description

Reamer For Proximal Bolt-Cannulated 6.4mm



KET™ SS Cannulated Femur Nailing System Instrument Set

Part No:MT-INTPFN017

Description

Reconstruction Tap- Cannulated 6.4mm



Part No:MT-INTPFN018

Description

Hexagonal Screw Driver - Cannulated 6.4mm



Part No:MT-INTPFN019

Description

S.S. Drill Bit 4mm x 250 mm



Part No:MT-INTPFN020

Description

Guide Wire 2 mm x 400 mm (Plain)



Part No:MT-INTPFN022

Description

4.5mm Hex Screw Driver- Extra Long



KET™ SS Cannulated Femur Nailing System Instrument Set

Part No:MT-INTPFN023

Description

10mm Socket Wrench



Part No:MT-INTPFN024

Description

Supine Driver



Part No:MT-INTPFN025

Description

Depth Gauge



Part No:MT-INTPFN026

Description

Extractor Rod



Part No:MT-INTPFN027

Description

Handle For Extractor



KET™ SS Cannulated Femur Nailing System Instrument Set

Part No:MT-INTPFN028

Description

Round Hammer



Part No:MT-INTPFN029

Description

Tomy Bar



Part No:MT-INTPFN030

Description

T Handle



Part No:MT-INSCFN004

Description

Instrument Case- SCFN Set



KET™ SS Cannulated Tibial Nail

SS Cannulated Tibial Nail system (SCTN)

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1708260	Ø 8.0	260
MT-NS1709260	Ø 9.0	260
MT-NS1710260	Ø 10.0	260
MT-NS1708280	Ø 8.0	280
MT-NS1709280	Ø 9.0	280
MT-NS1710280	Ø 10.0	280
MT-NS1708300	Ø 8.0	300
MT-NS1709300	Ø 9.0	300
MT-NS1710300	Ø 10.0	300
MT-NS1708320	Ø 8.0	320
MT-NS1709320	Ø 9.0	320
MT-NS1710320	Ø 10.0	320
MT-NS1708340	Ø 8.0	340
MT-NS1709340	Ø 9.0	340
MT-NS1710340	Ø 10.0	340
MT-NS1708360	Ø 8.0	360
MT-NS1709360	Ø 9.0	360
MT-NS1710360	Ø 10.0	360
MT-NS1708380	Ø 8.0	380
MT-NS1709380	Ø 9.0	380
MT-NS1710380	Ø 10.0	380



KET™ SS Cannulated Tibial Nail

3.9mm Locking Bolt, Self Tapping

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS1439022	Ø 3.9	22
MT-SS1439024	Ø 3.9	24
MT-SS1439026	Ø 3.9	26
MT-SS1439028	Ø 3.9	28
MT-SS1439030	Ø 3.9	30
MT-SS1439032	Ø 3.9	32
MT-SS1439034	Ø 3.9	34
MT-SS1439036	Ø 3.9	36
MT-SS1439038	Ø 3.9	38
MT-SS1439040	Ø 3.9	40
MT-SS1439042	Ø 3.9	42
MT-SS1439044	Ø 3.9	44
MT-SS1439046	Ø 3.9	46
MT-SS1439048	Ø 3.9	48
MT-SS1439050	Ø 3.9	50
MT-SS1439052	Ø 3.9	52
MT-SS1439054	Ø 3.9	54
MT-SS1439056	Ø 3.9	56
MT-SS1439058	Ø 3.9	58
MT-SS1439060	Ø 3.9	60




KET™ SS Cannulated Tibial Nail

4.9mm Locking Bolt, Self Tapping

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS2649022	Ø 4.9	22
MT-SS2649024	Ø 4.9	24
MT-SS2649026	Ø 4.9	26
MT-SS2649028	Ø 4.9	28
MT-SS2649030	Ø 4.9	30
MT-SS2649032	Ø 4.9	32
MT-SS2649034	Ø 4.9	34
MT-SS2649036	Ø 4.9	36
MT-SS2649038	Ø 4.9	38
MT-SS2649040	Ø 4.9	40
MT-SS2649042	Ø 4.9	42
MT-SS2649044	Ø 4.9	44
MT-SS2649046	Ø 4.9	46
MT-SS2649048	Ø 4.9	48
MT-SS2649050	Ø 4.9	50
MT-SS2649052	Ø 4.9	52
MT-SS2649054	Ø 4.9	54
MT-SS2649056	Ø 4.9	56
MT-SS2649058	Ø 4.9	58
MT-SS2649060	Ø 4.9	60
MT-SS2649062	Ø 4.9	62
MT-SS2649064	Ø 4.9	64
MT-SS2649066	Ø 4.9	66
MT-SS2649068	Ø 4.9	68
MT-SS2649070	Ø 4.9	70
MT-SS2649072	Ø 4.9	72
MT-SS2649074	Ø 4.9	74
MT-SS2649076	Ø 4.9	76
MT-SS2649078	Ø 4.9	78
MT-SS2649080	Ø 4.9	80



KET™ SS Cannulated Tibial Nail Instrument Set



KET™ SS Cannulated Tibial Nail Instrument Set

Part No:MT-INSCTN001

Description

SCTN Tibia Jig



Part No:MT-INSCTN002

Description

SCTN Conical Bolt



Part No:MT-INSCTN003

Description

S.C. Guide Sleeve 8mm



Part No:MT-INSCTN004

Description

SCTN Drill Sleeve 3.2mm



KET™ SS Cannulated Tibial Nail Instrument Set

Part No:MT-INTPFN005	Description
	SPFN Attachment Bolt
	
Part No:MT-INSCTN005	Description
	S.C. Drill Sleeve 4mm
	
Part No:MT-INSCTN006	Description
	SCTN Pointer Sleeve 8mm
	
Part No:MT-INSCTN010	Description
	SCTN Conical Bolt For Tibia Mody
	
Part No:MT-INSFTN011	Description
	Curved Bone Awl
	

KET™ SS Cannulated Tibial Nail Instrument Set

Part No:MT-INSFTN012	Description
	S.S.Drill Bit 3.2mm x 200mm
	
Part No:MT-INTPFN019	Description
	S.S. Drill Bit 4mm x 250 mm
	
Part No:MT-INTPFN022	Description
	4.5mm Hex Screw Driver- Extra Long
	
Part No:MT-INTPFN023	Description
	10mm Socket Wrench
	
Part No:MT-INTPFN024	Description
	Supine Driver
	

KET™ SS Cannulated Tibial Nail Instrument Set

Part No:MT-INTPFN025

Description

Depth Gauge



Part No:MT-INTPFN026

Description

Extractor Rod



Part No:MT-INTPFN027

Description

Handle For Extractor



Part No:MT-INTPFN028

Description

Round Hammer



Part No:MT-INTPFN029

Description

Tomy Bar



KET™ SS Cannulated Tibial Nail Instrument Set

Part No:MT-INSCTN011

Description

Instrument Case- SCTN Set



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated

SS Shaft Tibia Nailing System, Cannulated (SSTN)

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS2008280	Ø 8.0	280
MT-NS2009280	Ø 9.0	280
MT-NS2010280	Ø 10.0	280
MT-NS2008300	Ø 8.0	300
MT-NS2009300	Ø 9.0	300
MT-NS2010300	Ø 10.0	300
MT-NS2008320	Ø 8.0	320
MT-NS2009320	Ø 9.0	320
MT-NS2010320	Ø 10.0	320
MT-NS2008340	Ø 8.0	340
MT-NS2009340	Ø 9.0	340
MT-NS2010340	Ø 10.0	340
MT-NS2008360	Ø 8.0	360
MT-NS2009360	Ø 9.0	360
MT-NS2010360	Ø 10.0	360
MT-NS2008380	Ø 8.0	380
MT-NS2009380	Ø 9.0	380
MT-NS2010380	Ø 10.0	380



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated

SS Shaft Femur Nailing System, Cannulated (SSFN)

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1909340	Ø 9.0	340
MT-NS1910340	Ø 10.0	340
MT-NS1911340	Ø 11.0	340
MT-NS1912340	Ø 12.0	340
MT-NS1909360	Ø 9.0	360
MT-NS1910360	Ø 10.0	360
MT-NS1911360	Ø 11.0	360
MT-NS1912360	Ø 12.0	360
MT-NS1909380	Ø 9.0	380
MT-NS1910380	Ø 10.0	380
MT-NS1911380	Ø 11.0	380
MT-NS1912380	Ø 12.0	380
MT-NS1909400	Ø 9.0	400
MT-NS1910400	Ø 10.0	400
MT-NS1911400	Ø 11.0	400
MT-NS1912400	Ø 12.0	400
MT-NS1909420	Ø 9.0	420
MT-NS1910420	Ø 10.0	420
MT-NS1911420	Ø 11.0	420
MT-NS1912420	Ø 12.0	420
MT-NS1909440	Ø 9.0	440
MT-NS1910440	Ø 10.0	440
MT-NS1911440	Ø 11.0	440
MT-NS1912440	Ø 12.0	440



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated

3.9mm Locking Bolt, Self Tapping

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS1439022	Ø 3.9	22
MT-SS1439024	Ø 3.9	24
MT-SS1439026	Ø 3.9	26
MT-SS1439028	Ø 3.9	28
MT-SS1439030	Ø 3.9	30
MT-SS1439032	Ø 3.9	32
MT-SS1439034	Ø 3.9	34
MT-SS1439036	Ø 3.9	36
MT-SS1439038	Ø 3.9	38
MT-SS1439040	Ø 3.9	40
MT-SS1439042	Ø 3.9	42
MT-SS1439044	Ø 3.9	44
MT-SS1439046	Ø 3.9	46
MT-SS1439048	Ø 3.9	48
MT-SS1439050	Ø 3.9	50
MT-SS1439052	Ø 3.9	52
MT-SS1439054	Ø 3.9	54
MT-SS1439056	Ø 3.9	56
MT-SS1439058	Ø 3.9	58
MT-SS1439060	Ø 3.9	60



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated

4.9mm Locking Bolt, Self Tapping

Material : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS2649022	Ø 4.9	22
MT-SS2649024	Ø 4.9	24
MT-SS2649026	Ø 4.9	26
MT-SS2649028	Ø 4.9	28
MT-SS2649030	Ø 4.9	30
MT-SS2649032	Ø 4.9	32
MT-SS2649034	Ø 4.9	34
MT-SS2649036	Ø 4.9	36
MT-SS2649038	Ø 4.9	38
MT-SS2649040	Ø 4.9	40
MT-SS2649042	Ø 4.9	42
MT-SS2649044	Ø 4.9	44
MT-SS2649046	Ø 4.9	46
MT-SS2649048	Ø 4.9	48
MT-SS2649050	Ø 4.9	50
MT-SS2649052	Ø 4.9	52
MT-SS2649054	Ø 4.9	54
MT-SS2649056	Ø 4.9	56
MT-SS2649058	Ø 4.9	58
MT-SS2649060	Ø 4.9	60
MT-SS2649062	Ø 4.9	62
MT-SS2649064	Ø 4.9	64
MT-SS2649066	Ø 4.9	66
MT-SS2649068	Ø 4.9	68
MT-SS2649070	Ø 4.9	70
MT-SS2649072	Ø 4.9	72
MT-SS2649074	Ø 4.9	74
MT-SS2649076	Ø 4.9	76
MT-SS2649078	Ø 4.9	78
MT-SS2649080	Ø 4.9	80



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated Instrument Set



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated Instrument Set

Part No:MT-INSFTN001

Description

SSFN Curved Jig (Flaring)



Part No:MT-INSFTN002

Description

Conical Bolt 8mm For 8 mm & 9mm SSFN & SSTN



Part No:MT-INSFTN003

Description

Conical Bolt 10 mm For 10 mm To 12 mm SSFN & SSTN



Part No:MT-INSFTN004

Description

SSTN Curved Jig (Upper Bend)



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated Instrument Set

Part No:MT-INSFTN005

Description

SSTN Conical Bolt (Upper Bend)



Part No:MT-INSFTN006

Description

SSFN Conical Bolt (Turning Process)



Part No:MT-INSFTN007

Description

Protection Sleeve



Part No:MT-INSFTN008

Description

Drill Sleeve-3.2 mm



Part No:MT-INSFTN009

Description

Drill Sleeve-4.0 mm



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated Instrument Set

Part No:MT-INSFTN010

Description

Pointer Sleeve



Part No:MT-INSFTN011

Description

Curved Bone Awl



Part No:MT-INSFTN012

Description

S.S.Drill Bit 3.2mm x 200mm



Part No:MT-INSFTN013

Description

S.S.Drill Bit 4mm x 200mm



Part No:MT-INTPFN022

Description

4.5mm Hex Screw Driver- Extra Long



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated Instrument Set

Part No:MT-INTPFN023

Description

10mm Socket Wrench



Part No:MT-INTPFN024

Description

Supine Driver



Part No:MT-INTPFN025

Description

Depth Gauge



Part No:MT-INTPFN026

Description

Extractor Rod



Part No:MT-INTPFN027

Description

Handle For Extractor



KET™ SS Shaft Tibia and SS Shaft Femur Nailing System Cannulated Instrument Set

Part No:MT-INTPFN028

Description

Round Hammer



Part No:MT-INTPFN029

Description

Tomy Bar



Part No:MT-INSFTN019

Description

Instrument Case- SFN & STN Set



KET™ SS Trochanteric Femoral and Proximal Fixation Femoral Nail

SS Trochanteric Femoral Nail, 130° / 135° (STFN)
MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1509180	Ø 9.0	180
MT-NS1510180	Ø 10.0	180
MT-NS1511180	Ø 11.0	180
MT-NS1512180	Ø 12.0	180
MT-NS2209180	Ø 9.0	180
MT-NS2210180	Ø 10.0	180
MT-NS2211180	Ø 11.0	180
MT-NS2212180	Ø 12.0	180



KET™ SS Trochanteric Femoral and Proximal Fixation Femoral Nail

SS Proximal Fixation Femoral Nail, 130° / 135° (SPFN)
MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1609250	Ø 9.0	250
MT-NS1610250	Ø 10.0	250
MT-NS1611250	Ø 11.0	250
MT-NS1612250	Ø 12.0	250
MT-NS2309250	Ø 9.0	250
MT-NS2310250	Ø 10.0	250
MT-NS2311250	Ø 11.0	250
MT-NS2312250	Ø 12.0	250
MT-NS1609300L	Ø 9.0	300
MT-NS1610300L	Ø 10.0	300
MT-NS1611300L	Ø 11.0	300
MT-NS1612300L	Ø 12.0	300
MT-NS1609320L	Ø 9.0	320
MT-NS1610320L	Ø 10.0	320
MT-NS1611320L	Ø 11.0	320
MT-NS1612320L	Ø 12.0	320
MT-NS1609340L	Ø 9.0	340
MT-NS1610340L	Ø 10.0	340
MT-NS1611340L	Ø 11.0	340
MT-NS1612340L	Ø 12.0	340
MT-NS1609360L	Ø 9.0	360
MT-NS1610360L	Ø 10.0	360
MT-NS1611360L	Ø 11.0	360
MT-NS1612360L	Ø 12.0	360
MT-NS1609380L	Ø 9.0	380
MT-NS1610380L	Ø 10.0	380
MT-NS1611380L	Ø 11.0	380
MT-NS1612380L	Ø 12.0	380
MT-NS1609400L	Ø 9.0	400
MT-NS1610400L	Ø 10.0	400
MT-NS1611400L	Ø 11.0	400
MT-NS1612400L	Ø 12.0	400
MT-NS1609420L	Ø 9.0	420
MT-NS1610420L	Ø 10.0	420
MT-NS1611420L	Ø 11.0	420
MT-NS1612420L	Ø 12.0	420
MT-NS1609440L	Ø 9.0	440
MT-NS1610440L	Ø 10.0	440
MT-NS1611440L	Ø 11.0	440
MT-NS1612440L	Ø 12.0	440



KET™ SS Trochanteric Femoral and Proximal Fixation Femoral Nail

SS Proximal Fixation Femoral Nail, 130° / 135° (SPFN)
MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS1609300R	Ø 9.0	300
MT-NS1610300R	Ø 10.0	300
MT-NS1611300R	Ø 11.0	300
MT-NS1612300R	Ø 12.0	300
MT-NS1609320R	Ø 9.0	320
MT-NS1610320R	Ø 10.0	320
MT-NS1611320R	Ø 11.0	320
MT-NS1612320R	Ø 12.0	320
MT-NS1609340R	Ø 9.0	340
MT-NS1610340R	Ø 10.0	340
MT-NS1611340R	Ø 11.0	340
MT-NS1612340R	Ø 12.0	340
MT-NS1609360R	Ø 9.0	360
MT-NS1610360R	Ø 10.0	360
MT-NS1611360R	Ø 11.0	360
MT-NS1612360R	Ø 12.0	360
MT-NS1609380R	Ø 9.0	380
MT-NS1610380R	Ø 10.0	380
MT-NS1611380R	Ø 11.0	380
MT-NS1612380R	Ø 12.0	380
MT-NS1609400R	Ø 9.0	400
MT-NS1610400R	Ø 10.0	400
MT-NS1611400R	Ø 11.0	400
MT-NS1612400R	Ø 12.0	400
MT-NS1609420R	Ø 9.0	420
MT-NS1610420R	Ø 10.0	420
MT-NS1611420R	Ø 11.0	420
MT-NS1612420R	Ø 12.0	420
MT-NS1609440R	Ø 9.0	440
MT-NS1610440R	Ø 10.0	440
MT-NS1611440R	Ø 11.0	440
MT-NS1612440R	Ø 12.0	440



KET™ SS Trochanteric Femoral and Proximal Fixation Femoral Nail

4.9mm Locking Bolt, Self Tapping
MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS2649022	Ø 4.9	22
MT-SS2649024	Ø 4.9	24
MT-SS2649026	Ø 4.9	26
MT-SS2649028	Ø 4.9	28
MT-SS2649030	Ø 4.9	30
MT-SS2649032	Ø 4.9	32
MT-SS2649034	Ø 4.9	34
MT-SS2649036	Ø 4.9	36
MT-SS2649038	Ø 4.9	38
MT-SS2649040	Ø 4.9	40
MT-SS2649042	Ø 4.9	42
MT-SS2649044	Ø 4.9	44
MT-SS2649046	Ø 4.9	46
MT-SS2649048	Ø 4.9	48
MT-SS2649050	Ø 4.9	50
MT-SS2649052	Ø 4.9	52
MT-SS2649054	Ø 4.9	54
MT-SS2649056	Ø 4.9	56
MT-SS2649058	Ø 4.9	58
MT-SS2649060	Ø 4.9	60
MT-SS2649062	Ø 4.9	62
MT-SS2649064	Ø 4.9	64
MT-SS2649066	Ø 4.9	66
MT-SS2649068	Ø 4.9	68
MT-SS2649070	Ø 4.9	70
MT-SS2649072	Ø 4.9	72
MT-SS2649074	Ø 4.9	74
MT-SS2649076	Ø 4.9	76
MT-SS2649078	Ø 4.9	78
MT-SS2649080	Ø 4.9	80



KET™ SS Trochanteric Femoral and Proximal Fixation Femoral Nail

6.4mm Cannulated Bolt Self Tapping

MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS8064050	Ø 6.4	50
MT-SS8064055	Ø 6.4	55
MT-SS8064060	Ø 6.4	60
MT-SS8064065	Ø 6.4	65
MT-SS8064070	Ø 6.4	70
MT-SS8064075	Ø 6.4	75
MT-SS8064080	Ø 6.4	80
MT-SS8064085	Ø 6.4	85
MT-SS8064090	Ø 6.4	90
MT-SS8064095	Ø 6.4	95
MT-SS8064100	Ø 6.4	100
MT-SS8064105	Ø 6.4	105
MT-SS8064110	Ø 6.4	110
MT-SS8064115	Ø 6.4	115



8.0mm Cannulated Bolt Self Tapping

MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS8180050	Ø 8.0	50
MT-SS8180055	Ø 8.0	55
MT-SS8180060	Ø 8.0	60
MT-SS8180065	Ø 8.0	65
MT-SS8180070	Ø 8.0	70
MT-SS8180075	Ø 8.0	75
MT-SS8180080	Ø 8.0	80
MT-SS8180085	Ø 8.0	85
MT-SS8180090	Ø 8.0	90
MT-SS8180095	Ø 8.0	95
MT-SS8180100	Ø 8.0	100
MT-SS8180105	Ø 8.0	105
MT-SS8180110	Ø 8.0	110
MT-SS8180115	Ø 8.0	115



KET™ SS SPFN-STFN System Instrument Set



KET™ SS SPFN-STFN System Instrument Set

Part No:MT-INTPFN001

Description

STFN & SPFN Jig



Part No:MT-INTPFN002

Description

STFN & SPFN Guide Bar-130°



Part No:MT-INTPFN003

Description

STFN & SPFN Guide Bar-135°



Part No:MT-INTPFN004

Description

SPFN Conical Bolt



Part No:MT-INTPFN005

Description


SPFN Attachment Bolt



KET™ SS SPFN-STFN System Instrument Set

Part No:MT-INTPFN006	Description
	SPFN Protection Guide Sleeve-12 mm
	
Part No:MT-INTPFN007	Description
	Protection Guide Sleeve-8 mm
	
Part No:MT-INTPFN008	Description
	Drill Sleeve-4 mm Long
	
Part No:MT-INTPFN009	Description
	SPFN Guide Wire Sleeve-2 mm
	
Part No:MT-INTPFN010	Description
	SPFN Guide Wire Sleeve-2.5 mm
	
Part No:MT-INTPFN011	Description
	SPFN Trocar Sleeve-4 mm
	

KET™ SS SPFN-STFN System Instrument Set

Part No:MT-INTPFN012	Description
	Starting Awl
	
Part No:MT-INTPFN013	Description
	Centring Awl-15 mm-Cannulated
	
Part No:MT-INTPFN014	Description
	Reamer For SPFN Bolt- Cannulated -8 mm
	
Part No:MT-INTPFN015	Description
	Reamer For Proximal Bolt-Cannulated -6.4 mm
	
Part No:MT-INTPFN016	Description
	SPFN Tap Cannulated-8 mm
	

KET™ SS SPFN-STFN System Instrument Set

Part No:MT-INTPFN017

Description

Reconstruction Tap- Cannulated -6.4 mm



Part No:MT-INTPFN018

Description

Hexagonal Screw Driver - Cannulated -6.4 mm



Part No:MT-INTPFN019

Description

S.S. Drill Bit 4mm x 250 mm



Part No:MT-INTPFN020

Description

Guide Wire 2mm x 400 mm (Plain)



Part No:MT-INTPFN021

Description

Guide Wire 2.5mm x 400 mm (Plain)



Part No:MT-INTPFN022

Description

4.5mm Hex Screw Driver- Extra Long



KET™ SS SPFN-STFN System Instrument Set

Part No:MT-INTPFN023

Description

10mm Socket Wrench



Part No:MT-INTPFN024

Description

Supine Driver



Part No:MT-INTPFN025

Description

Depth Gauge



Part No:MT-INTPFN026

Description

Extractor Rod



Part No:MT-INTPFN027

Description

Handle For Extractor



KET™ SS SPFN-STFN System Instrument Set

Part No:MT-INTPFN028

Description

Round Hammer



Part No:MT-INTPFN029

Description

Tomy Bar



Part No:MT-INTPFN030

Description

T Handle



Part No:MT-INTPFN031

Description

Instrument Case- STFN & SPFN Set



KET™ SS Humeral Nail System-Unreamed

SS Humeral Nail System-Unreamed (SHNU)

MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-NS2160205	Ø 6.0	205
MT-NS2167205	Ø 6.7	205
MT-NS2175205	Ø 7.5	205
MT-NS2160220	Ø 6.0	220
MT-NS2167220	Ø 6.7	220
MT-NS2175220	Ø 7.5	220
MT-NS2160230	Ø 6.0	230
MT-NS2167230	Ø 6.7	230
MT-NS2175230	Ø 7.5	230
MT-NS2160240	Ø 6.0	240
MT-NS2167240	Ø 6.7	240
MT-NS2175240	Ø 7.5	240
MT-NS2160250	Ø 6.0	250
MT-NS2167250	Ø 6.7	250
MT-NS2175250	Ø 7.5	250
MT-NS2160260	Ø 6.0	260
MT-NS2167260	Ø 6.7	260
MT-NS2175260	Ø 7.5	260
MT-NS2160270	Ø 6.0	270
MT-NS2167270	Ø 6.7	270
MT-NS2175270	Ø 7.5	270
MT-NS2160280	Ø 6.0	280
MT-NS2167280	Ø 6.7	280
MT-NS2175280	Ø 7.5	280
MT-NS2160295	Ø 6.0	295
MT-NS2167295	Ø 6.7	295
MT-NS2175295	Ø 7.5	295



KET™ SS Humeral Nail System-Unreamed

2.9mm Locking Bolt, Self Tapping

MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS8229012	Ø 2.9	12
MT-SS8229014	Ø 2.9	14
MT-SS8229016	Ø 2.9	16
MT-SS8229018	Ø 2.9	18
MT-SS8229020	Ø 2.9	20
MT-SS8229022	Ø 2.9	22
MT-SS8229024	Ø 2.9	24
MT-SS8229026	Ø 2.9	26
MT-SS8229028	Ø 2.9	28
MT-SS8229030	Ø 2.9	30



3.4mm Locking Bolt, Self Tapping

MATERIAL : SS 316 LVM

PRODUCT CODE	DIAMETER	LENGTH
MT-SS8334018	Ø 3.4	18
MT-SS8334020	Ø 3.4	20
MT-SS8334022	Ø 3.4	22
MT-SS8334024	Ø 3.4	24
MT-SS8334026	Ø 3.4	26
MT-SS8334028	Ø 3.4	28
MT-SS8334030	Ø 3.4	30
MT-SS8334032	Ø 3.4	32
MT-SS8334034	Ø 3.4	34
MT-SS8334036	Ø 3.4	36
MT-SS8334038	Ø 3.4	38
MT-SS8334040	Ø 3.4	40



KET™ SS Humeral Nail System-Unreamed Instrument Set



KET™ SS Humeral Nail System-Unreamed Instrument Set

Part No:MT-INSHNU001

Description

SHNU Jig



Part No:MT-INSHNU002

Description

SHNU Connecting Bolt



Part No:MT-INSHNU003

Description

SHNU Protection Sleeve



Part No:MT-INSHNU004

Description

SHNU Drill Sleeve 2.7 mm (Humerus/SHNU)



Part No:MT-INSHNU005

Description

SHNU Pointer Sleeve



KET™ SS Humeral Nail System-Unreamed Instrument Set

Part No:MT-INSHNU006

Description

Awl (Humerus/SHNU)



Part No:MT-INSHNU007

Description

Reamer 6mm (Humerus/SHNU)



Part No:MT-INSHNU008

Description

SHNU Reamer 6.7mm



KET™ SS Humeral Nail System-Unreamed Instrument Set

Part No:MT-INSHNU009

Description

SHNU Reamer 7.5mm



Part No:MT-INSHNU010

Description

Awl for Distal Locking (Humerus/SHNU)



Part No:MT-INSHNU016

Description

4.5mm Hex Screw Driver



Part No:MT-INTPFN023

Description

10mm Socket Wrench



KET™ SS Humeral Nail System-Unreamed Instrument Set

Part No:MT-INTPFN024

Description

Supine Driver



Part No:MT-INTPFN025

Description

Depth Gauge



Part No:MT-INTPFN026

Description

Extractor Rod



Part No:MT-INTPFN027

Description

Handle For Extractor



Part No:MT-INTPFN028

Description

Round Hammer



KET™ SS Humeral Nail System-Unreamed Instrument Set

Part No:MT-INTPFN029

Description

Tomy Bar



Part No:MT-INSHNU011

Description

SHNU Guide Wire 2 x 600mm



Part No:MT-INSHNU012

Description

Hex Screw Driver 3.5mm Long (Regular)



Part No:MT-INSHNU013

Description

S.S. Drill Bit - 2.2 mm x 200 mm



Part No:MT-INSHNU014

Description

S.S. Drill Bit - 2.5 mm x 200 mm



KET™ SS Humeral Nail System-Unreamed Instrument Set

Part No:MT-INSHNU015

Description

Instrument Case- SHNU Set

